



番石榴病蟲害防治藥劑

病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
炭疽病	39.5%扶吉胺水懸劑	2,000	6	29
	23%亞托敏水懸劑	2,000	21	11, C3
	25.9%得克利水基乳劑	1,500	6	3, G1
	250G/L(25%W/V)得克利水基乳劑	1,500	6	3, G1
	23.7%依普同水懸劑	800	12	2, E3
	70%甲基多保淨可濕性粉劑	1,000	6	1, B1
	16%腈硫克敏水分散性粒劑	1,500	12	M9, 11, C3
	23.6%百克敏乳劑	3,000	12	11, C3
	23.6%百克敏水懸劑	3,000	12	11, C3
	40%克熱淨 (烷苯磺酸鹽) 可濕性粉劑	1,500	21	M7
	80%免得爛水分散性粒劑	500	14	M3
	50%三氟敏水分散性粒劑	4,000	18	11, C3
	62.5%賽普護汰寧水分散性粒劑	2,000	12	9, D1, 12, E2
	50%克收欣水分散性粒劑	2,000	6	11, C3
	53%腐絕快得寧可濕性粉劑	1,200	6	1, B1, M1
	42.2%腈硫醯水懸劑	1,200	9	M9
	80%鋅錳乃浦可濕性粉劑	400	30	M3
	33%鋅錳乃浦水懸劑	600	15	M3
	80%錳乃浦可濕性粉劑	400	30	M3
	65%得恩地可濕性粉劑	600	15	M3
80%得恩地可濕性粉劑	800	15	M3	
500g/L 三氟派瑞水懸劑	4,000	7	11, 7	
黑星病	50%克收欣水分散性粒劑	2000	6	11, C3
	62.5%賽普護汰寧水分散性粒劑	1500	12	9, D1, 12, E2
瘡痂病	40%克熱淨(烷苯磺酸鹽)可	1500	6	M7



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
	濕性粉劑			
疫病	80%福賽快得寧可濕性粉劑	1,200	6	11, C3
	9.4%賽座滅水懸劑	3,000	9	33, M1
	18.7%達滅克敏水分散性粒劑	1,000	15	21, C4
	52.5%凡殺克絕水分散性粒劑	1,500	12	40, F5, 11, C3
	27.12%三元硫酸銅水懸劑	800	6	11, C3, 27
	60.8%氟比拔克水懸劑	1,000	30	M1
薊馬類	42%益洛寧可濕性粉劑	1,500	12	1B, 3A
	20%亞滅培水溶性粉劑	4,000	12	4A
	18.2%益達胺水懸劑	4,000	12	4A
	20%達特南水溶性粒劑	3,000	9	4A
	50%陶斯松可濕性粉劑	2,000	6	1B
	50%陶斯松水基乳劑	2,000	6	1B
	10%克凡派水懸劑	1,500	12	13
	40%加保福化利可濕性粉劑	2,000	12	1A, 3A
	25%福化利乳劑	3,000	18	3A
	2.5%賽洛寧微乳劑	1,000	6	3A
	2.46%賽洛寧膠囊懸著液	1,000	6	3A
	2.8%賽洛寧乳劑	1,000	6	3A
	48.34%丁基加保扶乳劑	1,200	12	1A
	3% 亞滅寧水基乳劑	1,000	6	3A
	3% 亞滅寧乳劑	1,000	6	3A
	100g/L 賜派滅水懸劑	1,500	14	23
	20%覆滅蟎水溶性粉劑	600-800	14	1A
	11.7%賜諾特水懸劑	3,200	7	5
5.87%賜諾特水懸劑	1,600	7	5	
葉蟬類	42%益洛寧可濕性粉劑	2,000	12	1B, 3A
	20%亞滅培水溶性粉劑	4,000	12	4A



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
	20%達特南水溶性粒劑	3,000	9	4A
	2.9%貝他賽扶寧乳劑	1,500	6	3A
	25%賽速安水溶性粒劑	7,500	6	4A
	18.2%益達胺水懸劑	6,000	9	4A
	40%加保福化利可濕性粉劑	2,000	18	1A, 3A
	2.8%畢芬寧乳劑	2,000	9	3A
	2.5%畢芬寧水懸劑	2,000	9	3A
	3%亞滅寧水基乳劑	1,000	6	3A
	3%亞滅寧乳劑	1,000	6	3A
	2.5%賽洛寧微乳劑	4,000	6	3A
	2.46%賽洛寧膠囊懸著液	4,000	6	3A
	2.8%賽洛寧乳劑	4,000	6	3A
	葉蟎類	10%芬普寧水懸劑	1,000	9
1%密滅汀乳劑		1,500	6	6
10%得芬瑞可濕性粉劑		2,000	7	21A
39.5%扶吉胺水懸劑		1,500	9	29
30%賜派芬水懸劑		2,500	15	23
240g/L 賜滅芬水懸劑		2,000	14	23
10%芬殺蟎乳劑		1,500	7	21A
15%芬殺蟎水懸劑		2,500	7	21A
18.3%芬殺蟎水懸劑		3,000	7	21A
5%芬普蟎水懸劑		1,000	14	21A
46.5%愛殺松水基乳劑		800	21	1B
240/L 賜派芬水懸劑		2,000	14	23
10%依殺蟎水懸劑		3,500	21	10B
黑疣粉蝨	46.5%愛殺松水基乳劑	800	21	1B
	85%加保利可濕性粉劑	1,000	12	1A
	2.8%第滅寧水基乳劑	1,000	6	3A
	2.8%第滅寧乳劑	1,000	6	3A



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
粉蟲類	26.8%賽扶益達胺乳劑	5,000	6	3A, 4A
	40%納乃得水溶性粒劑	900	12	1A
粉介殼蟲類	20%達特南水溶性粒劑	3,000	6	4A
	75%陶斯松水分散性粒劑	3,000	12	1B
	50%陶斯松可濕性粉劑	2,500	6	1B
	50%陶斯松水基乳劑	2,500	6	1B
	11%百利普芬乳劑	1,500	12	7C
	11%百利普芬水基乳劑	1,500	12	7C
	40%滅大松可濕性粉劑水溶性袋裝	1,000	12	1B
	24.7%賽速洛寧膠囊水懸混劑	2,000	6	4A, 3A
21.8%速殺氟水懸劑	3,000	7	4C	
介殼蟲類	99%礦物油乳劑	200	免訂	免訂
蚜蟲類	100g/L 益斯普水懸劑	3,000	6	2B
	50%安丹可濕性粉劑	1,000	9	1A
東方果實蠅	0.02%賜諾殺濃餌劑	8	3	5

1. 上述資料更新以主管機關公告為準。其它防治藥劑及相關資料可參考主管機關之公告或參閱「農藥資訊服務網」--登記管理---病蟲害防治
2. 臺南區農業改良場病蟲害服務專線 06-5912959

110.6.4 更新