



落花生病蟲害防治藥劑

病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
根瘤線蟲	3% 加保扶粒劑		-	1A
	10% 芬滅松粒劑			1B
	400 g/L (40% w/v) 氟派瑞水懸劑	3000		7
	500 g/L (50% w/v) 氟派瑞水懸劑	4000		7
	10% 毆殺滅溶液	350		1A
葉斑病	75% 四氫異苯腈水分散性粒劑	400		M5
	40% 四氫異苯腈水懸劑	700	7	M5
	75% 四氫異苯腈可溼性粉劑	400		M5
	75% 四氫異苯腈水溶性袋裝可溼性粉劑	400		M5
	48.9% 四氫福多寧水懸劑	750	7	7/M5
	5x10 ⁹ CFU/g 以上液化澱粉芽孢桿菌 YCMA1 可溼性粉劑	600		BM02
	47.5% 鋅錳乃浦水分散性油懸劑	600	3	M3
	80% 鋅錳乃浦可溼性粉劑	400	-	M3
	褐斑病	5x10 ⁹ CFU/g 以上液化澱粉芽孢	600	



	桿菌 YCMA1 可溼性粉劑			
	80% 錳乃浦可溼性粉劑	400	-	M3
黑斑病	300 g/L (30% w/v) 氟克殺水懸劑	5,000	21	7
炭疽病	560 g/L (56% w/v) 四氯托敏水懸劑	1000	7	M5/11
	75% 四氯異苯腈水分散性粒劑	600	7	M5
	40% 四氯異苯腈水懸劑	300	7	M5
	75% 四氯異苯腈可溼性粉劑	600	7	M5
	75% 四氯異苯腈水溶性袋裝可濕性粉劑	600	7	M5
	23.6% 百克敏水懸劑	3,000	21	11
	23.6% 百克敏乳劑	3,000	21	11
	1x10 ⁹ CFU/mL 貝萊斯芽孢桿菌 BF 水懸劑	600		BM02
	1x10 ⁹ CFU/g 貝萊斯芽孢桿菌 BF 可溼性粉劑	600		BM02
		500 g/L (50% w/v) 氟殺克敏水懸劑	2,500	21
	47.5% 鋅錳乃浦水分散性油懸劑	600	3	M3



	33% 鋅錳乃浦水懸劑	400	3	M3
	80% 鋅錳乃浦可溼性粉劑	1000	3	M3
細菌性斑 點病	1x10 ⁹ CFU/g 以上貝萊斯芽孢桿 菌 BACY 可溼性粉劑	600		BM02
葉燒病	1x10 ⁹ CFU/g 貝萊斯芽孢桿菌 BF 可溼性粉劑	600		BM02
	20% 維利黴素溶液	1,200		26
葉部細菌 性病害	27.12% 三元硫酸銅水懸劑	500		M1
疫病	50% 亞托敏水分散性粒劑	2000	7	11
	10% 亞托敏水懸劑	400	7	11
	23% 亞托敏水懸劑	1000	7	11
	250 g/L (25% w/v)亞托敏水懸劑	1000	7	11
	63.02% 鹼性氯氧化銅水分散性粒 劑	400	-	M1
	70% 鹼性氯氧化銅可溼性粉劑	400	-	M1
	75% 鹼性氯氧化銅可溼性粉劑	500	-	M1



	85% 鹼性氮氧化銅可溼性粉劑	500	-	M1
露菌病	50% 亞托敏水分散性粒劑	2000	7	11
	10% 亞托敏水懸劑	400	7	11
	23% 亞托敏水懸劑	2000	7	11
	250 g/L (25% w/v)亞托敏水懸劑	2000	7	11
	48% 松香酯銅乳劑	1000	-	
	1x10 ⁹ CFU/g 以上液化澱粉芽孢桿菌 QST713 水懸劑	400		BM02
苗立枯病	2X10 ⁸ CFU/g 綠木黴菌 R42 粉劑	-	-	BM02
銹病	27.3% 三氟得克利水懸劑	2,500	7	11/3
	5% 三泰芬可溼性粉劑	600	20	3
	28% 比多農乳劑	2000	7	3
	75% 四氫異苯腈水分散性粒劑	1,200	7	M5
	40% 四氫異苯腈水懸劑	600	7	M5
	75% 四氫異苯腈可溼性粉劑	1,200	7	M5
	75% 四氫異苯腈水溶性袋裝可溼性粉劑	1,200	7	M5



48.9% 四氯福多寧水懸劑	750	7	7/M5
50% 亞托敏水分散性粒劑	2000	7	11
10% 亞托敏水懸劑	2000	7	11
23% 亞托敏水懸劑	1000	7	11
250 g/L (25% w/v)亞托敏水懸劑	1000	7	11
25.9% 得克利水基乳劑	2,000	7	3
250 g/L (25% w/v)得克利水基乳劑	2,000	7	3
25.9% 得克利水基乳劑	2,000	7	3
250 g/L (25% w/v)得克利水基乳劑	2,000	7	3
10% 菲克利水懸劑	3000	7	3
23% 菲克利水懸劑	7000	7	3
5% 菲克利水懸劑	1500	7	3
10% 菲克利乳劑	3000	7	3
9% 滅特座乳劑	1000	3	3
9% 滅特座溶液	1000	3	3
75% 嘉保信可溼性粉劑	1500	14	7
100 g/L (10% w/v)環克座溶液	3000	7	3



	8.8% 環克座溶液	3000	7	3
	18% 賽福寧乳劑	750		3
灰黴病	50% 白克列水分散性粒劑	1,500	21	7
	42.4% 白克列水懸劑	1,200	21	7
	1x10 ⁹ CFU/g 貝萊斯芽孢桿菌 BF 可溼性粉劑	600		BM02
	500 g/L (50% w/v) 氟殺克敏水懸劑	2,400	21	7/11
	1x10 ⁹ CFU/mL 以上液化澱粉芽 孢桿菌 Ba-BPD1 水懸劑	300		BM02
	1x10 ⁸ CFU/mL 以上液化澱粉芽 孢桿菌 CL3 水懸劑	400		BM02
冠腐病	34.5% 貝芬菲克利可溼性粉劑		-	1/3
	50% 依普同可溼性粉劑	-	-	2
	41.8% 腐絕水懸劑			1
	40% 腐絕可溼性粉劑			1
白粉病	84.2% 三得芬乳劑	3500	9	5
	80% 可濕性硫黃水分散性粒劑	1000		M2



	52% 可濕性硫黃水懸劑	650		M2
	75% 可濕性硫黃可溼性粉劑	950		M2
	80% 可濕性硫黃可溼性粉劑	1000		M2
	90% 可濕性硫黃可溼性粉劑	1150		M2
	95% 可濕性硫黃可溼性粉劑	1200		M2
	50% 1X10 ⁹ CFU/g 以上枯草桿菌 Y1336 可溼性粉劑	800		BM02
	500 g/L (50% w/v) 氟殺克敏水懸劑	5,000	21	7/11
	10% 菲克利水懸劑	4000	7	3
	23% 菲克利水懸劑	9000	7	3
	5% 菲克利水懸劑	2000	7	3
	10% 菲克利乳劑	4000	7	3
	80% 碳酸氫鉀水溶性粉劑	1000	-	
	95% 礦物油乳劑	500	-	NC
	97% 礦物油乳劑	500	-	NC
	99% 礦物油乳劑	500	-	NC
白絹病	50% 大克爛可溼性粉劑		-	14



	20% 福多寧水懸劑	1200	21	7
	50% 福多寧可溼性粉劑	3000	21	7
	15% 福多寧乳劑	900	21	7
莢枯病	84.2% 三得芬乳劑	3500	9	5
葉枯病	5x10 ⁹ CFU/g 以上液化澱粉芽孢桿菌 YCMA1 可溼性粉劑	600		BM02
萎凋病	1x10 ⁹ CFU/g 液化澱粉芽孢桿菌 PMB01 可溼性粉劑	200		BM02
	1x10 ⁹ CFU/mL 液化澱粉芽孢桿菌 PMB01 液劑	200		BM02
	1x10 ⁹ CFU/mL 液化澱粉芽孢桿菌 Tcba05 水懸劑	250		BM02
	1x10 ⁹ CFU/g 液化澱粉芽孢桿菌 Tcba05 可溼性粉劑	250		BM02
豆蚜	10% 福瑞松粒劑			1B
蚜蟲類	6% 苦參鹼溶液	1500	-	
	2.8% 第滅寧水基乳劑	1000	21	3A



	2.4% 第滅寧水懸劑	1000	21	3A
	2.8% 第滅寧乳劑	1000	21	3A
	25 g/L (2.5% w/v)第滅寧乳劑	1000	21	3A
	10% 賽速安水溶性粒劑	2000	21	4A
	25% 賽速安水溶性粒劑	5000	21	4A
赤葉蟎	25% 硫滅松乳劑	800	-	1B
	68.1% 毆蟎多乳劑	2000	7	12C
葉蟎類	68.1% 毆蟎多乳劑	2000	7	12C
細蟎類	25% 新殺蟎乳劑	500	30	un
小綠葉蟬	39.5% 加保利水懸劑	400		1A
	40% 加保利水懸劑	400		1A
	44.1% 加保利水懸劑	450		1A
	50% 加保利可溼性粉劑	500	-	1A
	85% 加保利可溼性粉劑	850		1A
	45% 硫敵芬化利可溼性粉劑	1200	21	1A/3A
葉蟬類	5% 克福隆乳劑	2000	15	15
切根蟲	0.5% 芬化利粒劑	-		3A



根潛蠅類	10% 福瑞松粒劑			1B
	75% 賽滅淨可溼性粉劑	8,000	9	17
	8.9% 賽滅淨溶液	1,000	9	17
莖潛蠅類	10% 福瑞松粒劑			1B
	75% 賽滅淨可溼性粉劑	8,000	9	17
	8.9% 賽滅淨溶液	1,000	9	17
斑潛蠅類	43% 佈飛松乳劑	1,000	7/15	1B
	500 g/L (50% w/v)佈飛松乳劑	1,000	7/15	1B
潛蠅類	0.5% 可尼丁粒劑			4A
	8.9% 賽滅淨溶液	1,000	9	17
南黃薊馬	2.8% 第滅寧水基乳劑	2000	20	3A
	2.4% 第滅寧水懸劑	2000	20	3A
	2.8% 第滅寧乳劑	2000	20	3A
	25 g/L (2.5% w/v)第滅寧乳劑	2000	20	3A
薊馬類	43% 佈飛松乳劑	800	10	1B
	500 g/L (50% w/v)佈飛松乳劑	800	10	1B
	10% 克凡派水懸劑	1,000	30	13



20% 亞滅培水溶性粉劑	4,000	21	4A
20% 亞滅培水溶性粒劑	4,000	21	4A
2.8% 畢芬寧水基乳劑	1000	7	3A
2.5% 畢芬寧水懸劑	1000	7	3A
2.8% 畢芬寧乳劑	1000	7	3A
150 g/L (15% w/v)賜派滅水分散性油懸劑	2,500	21	23
100 g/L (10% w/v)賜派滅水懸劑	1,500	21	23
11.7% 賜諾特水懸劑	8,000	9	5
5.87% 賜諾特水懸劑	4,000	9	5
11.6% 賜諾殺水懸劑	4500	28	5
2.5% 賜諾殺水懸劑	1000	28	5
80% 賜諾殺可溼性粉劑	32000	28	5
5% 賽洛寧水分散性粒劑	3,500	14	3A
2.8% 賽洛寧水懸劑	2,000	14	3A
1% 賽洛寧可溼性粉劑	700	14	3A
2.8% 賽洛寧乳劑	2,000	14	3A



	2.5% 賽洛寧微乳劑	2,000	14	3A
	2.46% 賽洛寧膠囊懸著劑	2,000	14	3A
	20% 覆滅蟎水溶性粉劑	400	21	1A
粉蟲類	16% 可尼丁水溶性粒劑	3,000	21	4A
	0.5% 可尼丁粒劑			4A
	50% 速殺氟水分散性粒劑	5,500	14	4C
	21.8% 速殺氟水懸劑	2,400	14	4C
	150 g/L (15% w/v)賜派滅水分散性油懸劑	1,500	21	23
	100 g/L (10% w/v)賜派滅水懸劑	1,000	21	23
斜紋夜蛾	5.5% 斜紋夜蛾費洛蒙蒸散劑			
	91.2% 斜紋夜蛾費洛蒙蒸散劑			
甜菜夜蛾	80.2% 甜菜夜蛾費洛蒙蒸散劑			
	87.2% 甜菜夜蛾費洛蒙蒸散劑			
秋行軍蟲	20% 依芬寧可溼性粉劑	1,500	15	3A
	10% 依芬寧乳劑	750	15	3A
	18.4% 剋安勃水懸劑	2,500	21	28



	11.7% 賜諾特水懸劑	3,000	9	5
	5.87% 賜諾特水懸劑	1,500	9	5
	100 g/L (10% w/v)諾伐隆水分散性乳劑	1,500	14	15
	48.1% (35,000 DBMU/mg)鮎澤蘇力菌 ABTS-1857 水分散性粒劑	1,000		BM02 、 11A
	54% (15,000 IU/mg)鮎澤蘇力菌 NB-200 水分散性粒劑	1,000		BM02 、 11A
夜蛾類	58% 乃力松乳劑	1000	4	1B
	9.4% 六伏隆水懸劑	2000	7	15
	5% 可芬諾水懸劑	1,000	14	18
	14.5% 因得克水懸劑	2000	7	22A
	15.8% 因得克乳劑	2000	7	22A
	33% 佈飛百滅寧乳劑	1000	10	1B/3A
	43% 佈飛松乳劑	1,000	10	1B
	500 g/L (50% w/v)佈飛松乳劑	1,000	10	1B
	5% 克福隆乳劑	2000	15	15



35% 剋安勃水分散性粒劑	5000	21	28
18.4% 剋安勃水懸劑	2500	21	28
40% 益滅賽寧可溼性粉劑	2500	6	1B/3A
13.5% 納得亞滅寧乳劑	1000	6	1A/3A
50% 馬拉松水基乳劑	500	4	1B
25% 馬拉松可溼性粉劑	250	4	1B
50% 馬拉松乳劑	500	4	1B
19.7% 得芬諾水懸劑	2,000	7	18
70% 得芬諾可溼性粉劑	3,000	7	18
19.7% 得芬諾水懸劑	2,000	7	18
70% 得芬諾可溼性粉劑	3,000	7	18
2.8% 畢芬寧乳劑	1000	14	3A
2.8% 畢芬寧水基乳劑	1000	14	3A
2.5% 畢芬寧水懸劑	1000	14	3A
75% 硫敵克可溼性粉劑	4000	3	1A
2.8% 第滅寧水基乳劑	1500	6	3A
2.4% 第滅寧水懸劑	1500	6	3A



	2.8% 第滅寧乳劑	1500	6	3A
	25 g/L (2.5% w/v)第滅寧乳劑	1500	6	3A
	22.6% 滅芬諾水懸劑	2,000	21	18
	11.7% 賜諾特水懸劑	1,200	9	5
	5.87% 賜諾特水懸劑	600	9	5
	5% 賽洛寧水分散性粒劑	2,000	10	3A
	2.8% 賽洛寧水懸劑	1,000	10	3A
	1% 賽洛寧可溼性粉劑	400	10	3A
	2.8% 賽洛寧乳劑	1,000	10	3A
	2.5% 賽洛寧微乳劑	1,000	10	3A
	2.46% 賽洛寧膠囊懸著劑	1,000	10	3A
	5% 賽滅寧水基乳劑	1500	30	3A
	10% 賽滅寧可溼性粉劑	3000	30	3A
	5% 賽滅寧可溼性粉劑	1500	30	3A
	5% 賽滅寧乳劑	1500	30	3A
	5% 賽滅寧微乳劑	1500	30	3A
天蛾類	11.7% 賜諾特水懸劑	3,000	9	5



	5.87% 賜諾特水懸劑	1,500	9	5
毒蛾類	33% 佈飛百滅寧乳劑	1000	10	1B/3A
	22.6% 滅芬諾水懸劑	2,000	21	18
	11.7% 賜諾特水懸劑	1,200	9	5
	5.87% 賜諾特水懸劑	600	9	5
螟蛾類	11.7% 賜諾特水懸劑	1,200	9	5
	5.87% 賜諾特水懸劑	600	9	5
鱗翅目害 蟲	10% 克凡派水懸劑	1,000	30	13
	20% 芬化利水基乳劑	3000	21	3A
	20% 芬化利可溼性粉劑	3000	21	3A
	10% 芬化利乳劑	1500	21	3A
	20% 芬化利乳劑	3000	21	3A
	5% 芬化利乳劑	750	21	3A
	6% 苦參鹼溶液	1000	-	
	54% (32,000 IU/mg)庫斯蘇力菌 ABTS-351 水分散性粒劑	1500		BM02 、 11A
	25% 納乃得水溶性粉劑	900	35	1A



	40% 納乃得水溶性粉劑	1500	35	1A
	40% 納乃得水溶性袋裝水溶性粉劑	1500	35	1A
	40% 納乃得水溶性粒劑	1500	35	1A
	2.8% 畢芬寧水基乳劑	1000	7	3A
	2.5% 畢芬寧水懸劑	1000	7	3A
	2.8% 畢芬寧乳劑	1000	7	3A
	34% 硫敵克水懸劑	1000	14	1A
	75% 硫敵克可溼性粉劑	2500	14	1A
	48.1% (35,000 DBMU/mg) 鮎澤蘇力菌 ABTS-1857 水分散性粒劑	1000		BM02 、 11A
	54% (15,000 IU/mg) 鮎澤蘇力菌 NB-200 水分散性粒劑	1,000		BM02 、 11A
青椿象	50% 撲滅松水基乳劑	1000	10	1B
	40% 撲滅松可溼性粉劑		10	1B
	20% 撲滅松乳劑		10	1B
	50% 撲滅松乳劑	1000	10	1B



黃守瓜	39.5% 加保利水懸劑	400-800	7	1A
	40% 加保利水懸劑	400-800	7	1A
	44.1% 加保利水懸劑	450-900	7	1A
	50% 加保利可溼性粉劑	500-1000	7	1A
	85% 加保利可溼性粉劑	850-1700	7	1A
抑制徒長	10% 巴克素水懸劑	1000	-	
促進成熟	10% 巴克素水懸劑	1000	-	
雜草	44.5% 三福林乳劑	300-400	-	3 ; K1
	50% 大芬滅可溼性粉劑	170	-	15 ; K3
	47.4% 比達寧乳劑	170	-	3 ; K1
	87.3% 左旋莫多草乳劑	稀釋至 600 公升		15 ; K3
	960 g/L (96% w/v)左旋莫多草乳劑	稀釋至 600 公升		15 ; K3
	45% 必汰草乳劑	200	-	6 ; C3
	37% 本達亞喜芬溶液	稀釋至 600 公升		6 ; C3/14 ; E



	17.5% 伏寄普乳劑	稀釋至 1,000 公升		1 ; A
	12.5% 西殺草乳劑	300	-	1 ; A
	20% 西殺草乳劑	500	-	1 ; A
	5% 快伏草乳劑	660	-	1 ; A
	79% 汰草滅乳劑	400	-	15 ; K3
	20.1% 亞喜芬溶液	500	-	14 ; E
	45.1% 拉草乳劑	200-300		15 ; K3
	10% 拉草粒劑			15 ; K3
	13.2% 剋草同乳劑	稀釋至 600 公升	-	1 ; A
	330 g/L (33% w/v)施得圃乳劑	180-200		3 ; K1
	34% 施得圃乳劑	180-200		3 ; K1
	38.7% 施得圃膠囊懸著劑	200-250		3 ; K1
	2.5% 倍尼芬粒劑			3 ; K1
	5.3% 得殺草乳劑	600 公升	-	1 ; A
	50% 莫多草乳劑	200-250	-	15 ; K3



	12% 樂滅草乳劑	200	-	14 ; E
	10.9% 環殺草乳劑	600L/Ha	-	1 ; A
	21% 環殺草乳劑	稀釋至 600L	-	1 ; A

1. 上述資料更新以主管機關公告為準。其它防治藥劑及相關資料可參考主管機關之公告或參閱「農藥資訊服務網」--登記管理--病蟲害防治
2. 臺南區農業改良場病蟲害服務專線 06-5912959

113.06.05 更新