



番石榴病蟲害防治藥劑

病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
炭疽病	500 g/L (50% w/v)三氟派瑞水懸劑	4000	7	7+11
	50% 三氟敏水分散性粒劑	4000	18	11
	43.7% 三氟敏水懸劑	4000	18	11
	500 g/L (50% w/v)三氟敏水懸劑	4000	18	11
	40% 甲基多保淨水懸劑	500	6	1
	70% 甲基多保淨可溼性粉劑	1000	6	1
	23.6% 百克敏水懸劑	3000	12	11
	23.6% 百克敏乳劑	3000	12	11
	50% 克收欣水分散性粒劑	2000	6	11
	40% 克熱淨(烷苯磺酸鹽)可溼性粉劑	1500	21	M7
	80% 免得爛水分散性粒劑	500	14	M3
	39.5% 扶吉胺水懸劑	2000	6	29
	1x10 ⁹ CFU/g 貝萊斯芽孢桿菌 BF 可溼性粉劑	600		BM02



50% 亞托敏水分散性粒劑	4000	21	11
10% 亞托敏水懸劑	800	21	11
23% 亞托敏水懸劑	2000	21	11
250 g/L (25% w/v)亞托敏水懸劑	2000	21	11
23.7% 依普同水懸劑	800	12	2
1x10 ⁹ CFU/mL 枯草桿菌 KHY8 水懸劑	500		BM02
25.9% 得克利水基乳劑	1500	6	3
250 g/L (25% w/v)得克利水基乳劑	1500	6	3
65% 得恩地可溼性粉劑	600	15	M3
80% 得恩地可溼性粉劑	800	15	M3
53% 腐絕快得寧可溼性粉劑	1200	6	1+M1
33% 鋅錳乃浦水懸劑	600	15	M3
80% 鋅錳乃浦可溼性粉劑	400	30	M3
80% 錳乃浦可溼性粉劑	400	30	M3
62.5% 賽普護汰寧水分散性粒	2000	12	9+12



	16% 腈硫克敏水分散性粒劑	1500	12	M9+11
	70% 腈硫醜水分散性粒劑	2000	9	M9
	22.7% 腈硫醜水懸劑	600	9	M9
	42.2% 腈硫醜水懸劑	1200	9	M9
	70% 腈硫醜可溼性粉劑	2000	9	M9
黑星病	50% 克收欣水分散性粒劑	2000	6	11
	62.5% 賽普護汰寧水分散性粒劑	1500	12	9+12
瘡痂病	40% 克熱淨(烷苯磺酸鹽)可溼性粉劑	1500	6	M7
疫病	27.12% 三元硫酸銅水懸劑	800		M1
	52.5% 凡殺克絕水分散性粒劑	1500	12	11+27
	60.8% 氟比拔克水懸劑	1000	30	43+28
	18.7% 達滅克敏水分散性粒劑	1000	15	11+40
	80% 福賽快得寧可溼性粉劑	1200	6	P07+M1
	9.4% 賽座滅水懸劑	3000	9	21
白粉病	80% 可濕性硫黃水分散性粒劑	1200		M2



	52% 可濕性硫黃水懸劑	800		M2
	75% 可濕性硫黃可溼性粉劑	1200		M2
	80% 可濕性硫黃可溼性粉劑	1200		M2
	90% 可濕性硫黃可溼性粉劑	1400		M2
	95% 可濕性硫黃可溼性粉劑	1400		M2
薊馬類	48.34% 丁基加保扶水基乳劑	1200	12	1A
	25% 丁基加保扶可溼性粉劑	600	12	1A
	40% 丁基加保扶可溼性粉劑	1000	12	1A
	48.34% 丁基加保扶乳劑	1200	12	1A
	40% 加保福化利可溼性粉劑	2000	12	1A+3A
	10% 克凡派水懸劑	1500	12	13
	20% 亞滅培水溶性粉劑	4000	12	4A
	3% 亞滅寧水基乳劑	1000	6	3A
	3% 亞滅寧乳劑	1000	6	3A
	42% 益洛寧可溼性粉劑	1500	12	3A+1B
	18.2% 益達胺水懸劑	4000	9	4A
	9.6% 益達胺水懸劑	2000	9	4A
	28.8% 益達胺溶液	6000	12	4A



9.6% 益達胺溶液	2000	9	4A
2.8% 第滅寧水基乳劑	1000	6	3A
2.4% 第滅寧水懸劑	1000	6	3A
2.8% 第滅寧乳劑	1000	6	3A
25 g/L (2.5% w/v)第滅寧乳劑	1000	6	3A
20% 達特南水溶性粒劑	3000	9	4A
240 g/L (24% w/v)福化利水基 乳劑	3000	18	3A
25% 福化利乳劑	3000	18	3A
150 g/L (15% w/v)賜派滅水分 散性油懸劑	2500	14	23
100 g/L (10% w/v)賜派滅水懸 劑	1500	14	23
11.7% 賜諾特水懸劑	3200	7	5
5.87% 賜諾特水懸劑	1600	7	5
5% 賽洛寧水分散性粒劑	2000	6	3A
2.8% 賽洛寧水懸劑	1000	6	3A
1% 賽洛寧可溼性粉劑	400	6	3A



	2.8% 賽洛寧乳劑	1000	6	3A
	2.5% 賽洛寧微乳劑	1000	6	3A
	2.46% 賽洛寧膠囊懸著劑	1000	6	3A
	20% 覆滅蟎水溶性粉劑	600-800	14	1A
葉蟬類	40% 加保福化利可溼性粉劑	2000	18	1A+3A
	2.9% 貝他-賽扶寧乳劑	1500	6	3A
	20% 亞滅培水溶性粉劑	4000	12	4A
	3% 亞滅寧水基乳劑	1000	6	3A
	3% 亞滅寧乳劑	1000	6	3A
	42% 益洛寧可溼性粉劑	2000	12	3A+1B
	18.2% 益達胺水懸劑	6000	9	4A
	9.6% 益達胺水懸劑	3000	9	4A
	28.8% 益達胺溶液	9000	9	4A
	9.6% 益達胺溶液	3000	9	4A
	2.5% 畢芬寧水懸劑	2000	9	3A
	2.8% 畢芬寧乳劑	2000	9	3A
	20% 達特南水溶性粒劑	3000	9	4A
	5% 賽洛寧水分散性粒劑	8000	6	3A



	2.8% 賽洛寧水懸劑	4000	6	3A
	1% 賽洛寧可溼性粉劑	1600	6	3A
	2.8% 賽洛寧乳劑	4000	6	3A
	2.5% 賽洛寧微乳劑	4000	6	3A
	2.46% 賽洛寧膠囊懸著劑	4000	6	3A
	10% 賽速安水溶性粒劑	3000	6	4A
	25% 賽速安水溶性粒劑	7500	6	4A
葉蟎類	39.5% 扶吉胺水懸劑	1500	6	29
	10% 依殺蟎水懸劑	3500	21	10B
	15% 芬殺蟎水懸劑	2500	7	21A
	18.3% 芬殺蟎水懸劑	3000	7	21A
	10% 芬殺蟎乳劑	1500	7	21A
	10% 芬普寧水懸劑	1000	9	3A
	1% 密滅汀乳劑	1500	6	6
	10% 得芬瑞可溼性粉劑	2000	7	21A
	46.5% 愛殺松水基乳劑	800	21	1B
	46.5% 愛殺松乳劑	800	21	1B
	30% 賜派芬水懸劑	2500	15	23



	240 g/L (24% w/v)賜滅芬水懸劑	2000	14	23
蟎蟎類	5% 芬普蟎水懸劑	1000	14	21A
黑疣粉蝨	39.5% 加保利水懸劑	450	12	1A
	40% 加保利水懸劑	450	12	1A
	44.1% 加保利水懸劑	500	12	1A
	50% 加保利可溼性粉劑	600	12	1A
	85% 加保利可溼性粉劑	1000	12	1A
	2.8% 第滅寧水基乳劑	1000	6	3A
	2.4% 第滅寧水懸劑	1000	6	3A
	2.8% 第滅寧乳劑	1000	6	3A
	25 g/L (2.5% w/v)第滅寧乳劑	1000	6	3A
	46.5% 愛殺松水基乳劑	800	21	1B
	46.5% 愛殺松乳劑	800	21	1B
螺旋粉蝨	26.8% 賽扶益達胺乳劑	5000	6	3A+4A
粉蝨類	25% 納乃得水溶性粉劑	500	12	1A
	40% 納乃得水溶性粉劑	900	12	1A
	40% 納乃得水溶性袋裝水溶性	900	12	1A



	粉劑			
	46.5% 愛殺松乳劑	800	21	1B
	26.8% 賽扶益達胺乳劑	5000	6	3A+4A
粉介殼蟲類	50% 速殺氟水分散性粒劑	7500	7	4C
	21.8% 速殺氟水懸劑	3000	7	4C
	40% 滅大松可溼性粉劑	1000	12	1B
	40% 滅大松水溶性袋裝可溼性粉劑	1000	12	1B
	20% 達特南水溶性粒劑	3000	6	4A
	24.7%(w/v)賽速洛寧膠囊水懸混劑	2000	6	4A+3A
介殼蟲類	11% 百利普芬水基乳劑	1000	12	7C
	11% 百利普芬水懸劑	1500	12	7C
	11% 百利普芬乳劑	1500	12	7C
	95% 礦物油乳劑	200		NC
	97% 礦物油乳劑	200		NC
	99% 礦物油乳劑	200		NC
蚜蟲類	50% 安丹可溼性粉劑	1000	9	1A



	100 g/L (10% w/v) 益斯普水懸劑	3000	6	2B
東方果實 蠅	95% 含毒甲基丁香油溶液		-	1B
	0.02% 賜諾殺濃餌劑	8	3	5
	0.02% 賜諾殺濃餌劑	8	3	5
斜紋夜蛾	5.5% 斜紋夜蛾費洛蒙蒸散劑			
	91.2% 斜紋夜蛾費洛蒙蒸散劑			
甜菜夜蛾	80.2% 甜菜夜蛾費洛蒙蒸散劑			
	87.2% 甜菜夜蛾費洛蒙蒸散劑			
秋行軍蟲	11.7% 賜諾特水懸劑	3200	7	5
	5.87% 賜諾特水懸劑	1600	7	5
	48.1% (35,000 DBMU/mg) 鮎澤蘇力菌 ABTS-1857 水分散性粒劑	1000		BM02+11A
	54% (15,000 IU/mg) 鮎澤蘇力菌 NB-200 水分散性粒劑	1000		BM02+11A



臺南區農業改良場作物環境課植物保護研究室整理
<http://tndais.coa.gov.tw/view.php?catid=382>

1. 上述資料更新以主管機關公告為準。其它防治藥劑及相關資料可參考主管機關之公告或參閱「農藥資訊服務網」--登記管理---病蟲害防治
2. 臺南區農業改良場病蟲害服務專線 06-5912959

110.06.04 更新
113.03.07 更新