



大蒜病蟲害防治藥劑

110.9.9 更新

病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
疫病	1*10 ⁷ cfu/g 蓋棘木黴菌 ICC 080/012 可溼性粉劑	2,000	-	BM02
	60.8%氟比拔克水懸劑	1,000	21 天(設施 栽培 28 天)	28;F4+ 43;B5
	10%亞托敏水懸劑	400	10	11;C3
	23%亞托敏水懸劑	1,000	10	11;C3
	250g/L 亞托敏水懸劑	1,000	10	11;C3
	50%亞托敏水分散性粒劑	2,000	10	11;C3
幼苗 疫病	39.5%普拔克溶液	250	21 天(設施 栽培 28 天)	28;F4
	66.5%普拔克溶液	400	21 天(設施 栽培 28 天)	28;F4
露菌病	60.8%氟比拔克水懸劑	1,500	21 天(設施 栽培 28 天)	28;F4+ 43;B5
	50%達滅芬水懸劑	3,000	14	40;H5
	50%達滅芬可溼性粉劑	3,000	14	40;H5
	500g/L 達滅芬水懸劑	3,000	14	40;H5
	10%亞托敏水懸劑	800	10	11;C3
	23%亞托敏水懸劑	2,000	10	11;C3
	250g/L 亞托敏水懸劑	2,000	10	11;C3
	50%亞托敏水分散性粒劑	4,000	10	11;C3
	71.6%銅右滅達樂可溼性粉劑	600	3	4;A1+ M1;mc1
	76.5%銅滅達樂可溼性粉劑	600	3	4;A1+ M1;mc1
	80%錳乃浦可溼性粉劑	400	7	M3;mc3
37%錳乃浦水懸劑	200	7	M3;mc3	
葉芽線 蟲	5%毆殺滅粒劑	-	-	1A
白絹病	15%福多寧乳劑	900	21	7;C2
	20%福多寧水懸劑	1,200	21	7;C2
	50%福多寧可溼性粉劑	3,000	21	7;C2
炭疽病	23.6%百克敏水懸劑	3,000	9	11;C3
	23.6%百克敏乳劑	3,000	9	11;C3
	27.3%三氟得克利水懸劑	2,500	21	11;C3+ 3;G1
	40%四氯異苯腈水懸劑	320	14	M5;mc5
	75%四氯異苯腈水分散性粒	600	14	M5;mc5



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
	劑			
	75%四氯異苯腈可溼性粉劑	600	14	M5;mc5
	24.9%待克利乳劑	3,000	21	3;G1
	24.9%待克利水懸劑	3,000	21	3;G1
	250g/L 待克利乳劑	3,000	21	3;G1
	10%待克利水分散性粒劑	1,200	21	3;G1
細菌性軟腐病	68.8%多保鏈黴素可溼性粉劑	1,000	12	1;B1+25;D4
	12.5%鏈黴素溶液	1,000	-	25;D4
紫斑病	81.3%嘉賜銅可溼性粉劑	800	6	24;D3+M1;mc1
	≥5*10 ⁹ cfu/g 液化澱粉芽孢桿菌 YCMA1 可溼性粉劑	600	-	BM02
	10%亞托敏水懸劑	1,200	10	11;C3
	23%亞托敏水懸劑	3,000	10	11;C3
	250g/L 亞托敏水懸劑	3,000	10	11;C3
	50%亞托敏水分散性粒劑	6,000	10	11;C3
	10%保粒黴素(甲)可溼性粉劑	1,000	-	19;H4
	50%(POLYOXIN-B 保粒黴素(甲)水溶性粒劑	5,000	-	19;H4
	44.2%克收欣水懸劑	2,500	10	11;C3
	50%克收欣水分散性粒劑	2,800	10	11;C3
	45%甲鋅保粒素可溼性粉劑	500	10	19;H4+M3;mc3
	75%四氯異苯腈可溼性粉劑水溶性袋裝	700	14	M5;mc5
	75%四氯異苯腈可溼性粉劑	700	14	M5;mc5
	75%四氯異苯腈水分散性粒劑	700	14	M5;mc5
40%四氯異苯腈水懸劑	320	14	M5;mc5	
黑斑病	300 g/L 氟克殺水懸劑	5,000	14	7;C2
銹病	23.6%百克敏水懸劑	2,500	9	11;C3
	23.6%百克敏乳劑	2,500	9	11;C3



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
	50%三氟敏水分散性粒劑	4,000	21	11;C3
	43.7%三氟敏水懸劑	3,500	21	11;C3
	500g/L 三氟敏水懸劑	4,000	21	11;C3
	10%菲克利乳劑	3,000	9	3;G1
	10%菲克利水懸劑	3,000	9	3;G1
	23%菲克利水懸劑	6,900	9	3;G1
	5%菲克利水懸劑	1,500	9	3;G1
	28%亞托環克座水懸劑	3,000	10	11;C3+ 3;G1
蚜蟲類	20%達特南水溶性粒劑	2,000	7	4A
	9.6%益達胺溶液	4,000	9	4A
	9.6%益達胺水懸劑	4,000	9	4A
	28.8%益達胺溶液	12,000	9	4A
	20%達特南水溶性粒劑	2,000	7	4A
	21.8%速殺氟水懸劑	6,000	6	4C
	10%賽速安水溶性粒劑	2,000	9	4A
	25%賽速安水溶性粒劑	5,000	9	4A
	40%納乃得水溶性粉劑	1,500	6	1A
	40%納乃得水溶性粉劑-水溶性袋裝	1,500	6	1A
	40%納乃得水溶性粒劑	1,500	6	1A
	25%納乃得水溶性粉劑	800	6	1A
	18.2%益達胺水懸劑	8,000	9	4A
	58%乃力松乳劑	1,000	4	1B
	50%培丹水溶性粉劑	1,000	10	14
	2.8%第滅寧水基乳劑	1,000	6	3A
	2.8%第滅寧乳劑	1,000	6	3A
	2.4%第滅寧水懸劑	1,000	6	3A
	20%免扶克乳劑	500	12	1A
	25%免扶克可溼性粉劑	700	12	1A
40%免扶克水懸劑	1,000	12	1A	
31.6%護賽寧乳劑	8,500	15	3A	
甜菜夜蛾	2x10 ⁹ OBs/ml 甜菜夜蛾核多角體病毒水懸劑	3,000	-	31
夜蛾類	18.4%剋安勃水懸劑	2,500	14	28
	35%剋安勃水分散性粒劑	5,000	14	28
	25%二福隆水懸劑	1,500	35	15
	5%賽滅寧乳劑	1,500	6	3A



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號	
	5%賽滅寧水基乳劑	1,500	6	3A	
	5%賽滅寧微乳劑	1,500	6	3A	
	10%賽滅寧可溼性粉劑	3,000	6	3A	
	5%賽滅寧可溼性粉劑	1,500	6	3A	
	40%納乃得水溶性粒劑	1,500	6	1A	
	25%納乃得水溶性粉劑	800	6	1A	
	40%納乃得水溶性粉劑	1,500	6	1A	
	40%納乃得水溶性粉劑-水溶性袋裝	1,500	6	1A	
	50%培丹水溶性粉劑	1,000	14	10	
	14.5%因得克水懸劑	2,000	9	22A	
	15.8%因得克乳劑	2,000	9	22A	
	25%二福隆可溼性粉劑	1,500	35	15	
	19.7%得芬諾水懸劑	2,000	9	18	
	4.4%綠芬隆乳劑	1,500	10	15	
	5%可芬諾水懸劑	1,000	18	18	
	70%得芬諾可溼性粉劑	7,000	9	18	
	5%因滅汀乳劑	5,000	9	6	
	10%克凡派水懸劑	1,000	9	13	
	薊馬類	11.7%賜諾特水懸劑	8,000	6	5
		5.87%賜諾特水懸劑	4,000	6	5
2.5%賜諾殺水懸劑		1,000	7	5	
11.6%賜諾殺水懸劑		4,500	7	5	
80%賜諾殺可溼性粉劑		32,000	7	5	
50%滅賜克可溼性粉劑		800	12	1A	
10%克凡派水懸劑		1,000	9	13	
240 g/L (24% w/v)福化利水基乳劑		3,000	7	3A	
1%賽洛寧可溼性粉劑		700-800	9	3A	
5%賽洛寧水分散性粒劑		3,500-4000	9	3A	
2.8%賽洛寧乳劑		2,000	9	3A	
2.8%賽洛寧水懸劑		2,000	9	3A	
2.46%賽洛寧膠囊懸著劑		2,000	9	3A	
2.5%賽洛寧微乳劑		2,000	9	3A	
43%佈飛松乳劑		800	10	1B	
500g/L 佈飛松乳劑		800	10	1B	
2.4%第滅寧水懸劑		1,000	6	3A	
2.8%第滅寧乳劑		1,000	6	3A	



病蟲害別	藥劑名稱	稀釋倍數	安全採收期(天)	作用機制代號
	2.8%第滅寧水基乳劑	1,000	6	3A
	25%福化利乳劑	3,000	7	3A
	2.9%貝他 - 賽扶寧乳劑	1,500	9	3A
	9.6%益達胺水懸劑	2,000	9	4A
	9.6%益達胺溶液	2,000	9	4A
	18.2%益達胺水懸劑	4,000	9	4A
	28.8%益達胺溶液	6,000	9	4A
毒蛾類	25%二福隆水懸劑	1,500	35	15
	25%二福隆可溼性粉劑	1,500	35	15
植食性 瓢蟲類	25%二福隆水懸劑	1,500	35	15
	25%二福隆可溼性粉劑	1,500	35	15
根蟻類	43%佈飛松乳劑	1,000	15	1B
	500g/L 佈飛松乳劑	1,000	15	1B
金花蟲 類	25%二福隆水懸劑	1,500	35	15
	25%二福隆可溼性粉劑	1,500	35	15
潛蠅類	75%賽滅淨可溼性粉劑	5,000	14	17
	8.9%賽滅淨溶液	800	14	17
鱗翅目 害蟲	10%芬化利乳劑	1,500	14	3A
	20%芬化利乳劑	3,000	14	3A
	20%芬化利水基乳劑	3,000	14	3A
	20%芬化利可溼性粉劑	3,000	14	3A
	5%芬化利乳劑	750	14	3A
	34%硫敵克水懸劑	1,000	6	1A
	75%硫敵克可溼性粉劑	2,500	6	1A

1. - 免訂容許量
2. 上述資料更新以主管機關公告為準。其它防治藥劑及相關資料可參考主管機關之公告或參閱「農藥資訊服務網」--登記管理---病蟲害防治
3. 臺南區農業改良場病蟲害服務專線 06-5912959