



水稻蟲害防治藥劑

病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
螟蛾類	15%布得芬諾可溼性粉劑	1000	21	16+18
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	95%撲滅松超低容量液劑	-	21	1B
	40%撲滅松可溼性粉劑	800	21	1B
一點螟蟲	3%加保扶粒劑	-	21	1A
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	0.3%芬普尼粒劑	-	-	2B
	5%拜裕松粒劑	-	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	4%培丹粒劑	-	21	14
	6%培丹粒劑	-	21	14
	9%培丹粒劑	-	21	14
	40%撲滅松可溼性粉劑	800	14	1B
	20%撲滅松乳劑	400	14	1B
	50%撲滅松乳劑	1000	21	1B
二化螟蟲	5%大利松粒劑	-	-	1B
	3%加保扶粒劑	-	21	1A
	50%加福松乳劑	1000	21	1B
	5%布芬大利松粒劑	-	21	16+1B
	8%亞素靈粒劑	-	21	1B
	44.2%依殺松膠囊懸著劑	1500	21	1B
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	0.3%芬普尼粒劑	-	-	2B
	250 G/L (25% W/V)%芬普尼種子處理用水懸劑	-	-	2B



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	250 G/L (25% W/V)%芬普尼種子處理用水懸劑	-	-	2B
	0.3%芬普尼粒劑	-	-	2B
	35%剋安勃水分散性粒劑	2000	-	28
	18.4%剋安勃水懸劑	1000	-	28
	5%拜裕松粒劑	-	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	4%培丹粒劑	-	21	14
	6%培丹粒劑	-	21	14
	9%培丹粒劑	-	21	14
	50%培丹水溶性粉劑	1000	35	14
	6.5%滅蟲丹粒劑	-	40	14
	91.3%撲馬松超低容量液劑	-	-	1B
	10%撲殺培丹粒劑	-	20	P+14
	20%撲滅松乳劑	100	21	1B
	50%撲滅松乳劑	1000	21	1B
	95%撲滅松超低容量液劑	-	21	1B
	40%撲滅松可溼性粉劑	200	21	1B
	50%賽達松乳劑	1000	21	1B
	50%賽達松水基乳劑	1000	21	1B
瘤野螟	480 g/L(48% w/v) 特安勃種子處理用水懸劑	-	-	28
	11.78%布芬第滅寧乳劑	600	15	3A+16
	11.78%布芬第滅寧水懸劑	600	15	3A+16
	2.9%貝他-賽扶寧乳劑	1500	7	3A
	19%矽護芬水基乳劑	2000	14	3A
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	0.3%芬普尼粒劑	-	-	1B
	18.4%剋安勃水懸劑	5 倍	-	28
	35%剋安勃水分散性粒劑	2000	-	28



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	50%益滅松可溼性粉劑	1000	21	1B
	40%益滅賽寧可溼性粉劑	2500	15	1B+3A
	6%培丹粒劑	-	7	14
	50%培丹水溶性粉劑	1200	35	14
	4%培丹粒劑	-	7	14
	9%培丹粒劑	-	7	14
	1%第滅寧乳劑	750	15	3A
	360 g/L (36% w/v)滅芬諾特水懸劑	3200	14	18+5
	6.5%滅蝨丹粒劑	-	10	14
	10%撲殺培丹粒劑	-	10	P+14
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	40%撲滅松可溼性粉劑	800	21	1B
	5%賽洛寧水分散性粒劑	4000	15	3A
	1%賽洛寧可溼性粉劑	800	15	3A
	2.46%賽洛寧膠囊懸著劑	2000	15	3A
	2.8%賽洛寧乳劑	2000	15	3A
	2.5%賽洛寧微乳劑	2000	15	3A
	2.8%賽洛寧水懸劑	2000	15	3A
	40%賽速安勃水分散性粒劑	500	-	4A+28
24.7%(W/V)%賽速洛寧膠囊水懸混劑	3000	21	4A+3A	
大螟	3%加保扶粒劑	-	21	1A
	0.3%芬普尼粒劑	-	-	2B
	5%拜裕松粒劑	-	21	1B
	4%培丹粒劑	-	21	14
	6%培丹粒劑	-	21	14
	9%培丹粒劑	-	21	14
稻螟蛉	2.9%貝他-賽扶寧乳劑	1500	7	3A
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	50%益滅松可溼性粉劑	1000	21	1B



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	6%培丹粒劑	-	7	14
	4%培丹粒劑	-	7	14
	9%培丹粒劑	-	7	14
	1%第滅寧乳劑	750	15	3A
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	40%撲滅松可溼性粉劑	800	21	1B
	300 G/L (30% W/V)%賽速安勃水懸劑	300	-	4A+28
	40%賽速安勃水分散性粒劑	500	-	4A+28
夜蛾類	2.9%貝他-賽扶寧乳劑	1500	7	3A
	50%芬殺松乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松水基乳劑	1000	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	4%培丹粒劑	-	7	14
	9%培丹粒劑	-	7	14
	6%培丹粒劑	-	7	14
	1%第滅寧乳劑	750	15	3A
	40%撲滅松可溼性粉劑	800	21	1B
	20%撲滅松乳劑	400	21	1B
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	50%撲滅松乳劑	1000	21	1B
	40%賽速安勃水分散性粒劑	500	-	4A+28
	300 G/L (30% W/V)%賽速安勃水懸劑	300	-	4A+28
	斜紋夜蛾	5.5%斜紋夜蛾費洛蒙蒸散劑	-	-
樹蔭蝶	2.9%貝他-賽扶寧乳劑	1500	7	3A
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	50%益滅松可溼性粉劑	1000	21	1B
	6%培丹粒劑	-	7	14
	4%培丹粒劑	-	7	14
	9%培丹粒劑	-	7	14
	1%第滅寧乳劑	750	15	3A
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	40%撲滅松可溼性粉劑	800	21	1B
	300 G/L (30% W/V)%賽速安勃水懸劑	300	-	4A+28
	40%賽速安勃水分散性粒劑	500	-	4A+28
稻苞蟲	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	6%培丹粒劑	-	7	14
	4%培丹粒劑	-	7	14
	9%培丹粒劑	-	7	14
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	40%撲滅松可溼性粉劑	800	21	1B
	300 G/L (30% W/V)%賽速安勃水懸劑	300	-	4A+28
40%賽速安勃水分散性粒劑	500	-	4A+28	
稻蟲類	5%丁基加保扶粒劑	-	29	1A
	3%丁基加保扶粒劑	-	29	1A
	39.5%加保利水懸劑	800	21	1A
	40%加保利水懸劑	800	21	1A
	44.1%加保利水懸劑	900	21	1A
	50%加保利可溼性粉劑	1000	21	1A
	85%加保利可溼性粉劑	1700	21	1A
	3%加保扶粒劑	-	-	1A
	0.5%可尼丁粒劑	-	-	4A
	0.5%可尼丁粒劑	-	-	4A



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	16%可尼丁水溶性粒劑	3000	10	4A
	15%布得芬諾可溼性粉劑	1000	15	16+18
	20%免扶克乳劑	500	37	1A
	25%免扶克可溼性粉劑	700	37	1A
	40%免扶克水懸劑	1000	37	1A
	40%免敵克可溼性粉劑	1000	15	1A
	30%治滅蟲乳劑	800	-	1A
	50%治滅蟲可溼性粉劑	2000	-	1A
	10% 氟美派水懸劑	2400	21	4E
	50%速殺氟水分散性粒劑	8000	21	4C
	37%繁米松溶液	-	-	1B
	25%賽速安水溶性粒劑	1600	10	4A
	10%賽速安水溶性粒劑	600	10	4A
	褐飛蟲	48.34%丁基加保扶乳劑	1000	10
48.34%丁基加保扶水基乳劑		1000	10	1A
5%丁基加保扶粒劑		-	29	1A
30%丁基加保扶可溼性粉劑		800	20	1A
25%丁基加保扶可溼性粉劑		500	10	1A
40%丁基加保扶可溼性粉劑		800	10	1A
3%丁基加保扶粒劑		-	29	1A
50%丁基滅必蟲乳劑		1000	15	1A
40%丁基滅必蟲可溼性粉劑		800	15	1A
10%大利松粒劑		-	-	1B
50%加保利可溼性粉劑		250	21	1A
85%加保利可溼性粉劑		1700	21	1A
39.5%加保利水懸劑		800	21	1A
40%加保利水懸劑		800	21	1A
44.1%加保利水懸劑		900	21	1A
3%加保扶粒劑		-	-	1A
5%布芬大利松粒劑		-	15	16+1B
25%布芬大利松可溼性粉劑		750	20	16+1B



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	25%布芬治蟲可溼性粉劑	750	15	16+1A
	25%布芬淨可溼性粉劑	1500	15	16
	40%布芬淨水懸劑	2500	15	16
	11.78%布芬第滅寧乳劑	1000	15	16+3A
	11.78%布芬第滅寧水懸劑	1000	15	16+3A
	25%布芬滅蟲可溼性粉劑	750	15	16+1A
	25%必克蟲乳劑(人力噴霧)	1000	-	-
	25%必克蟲乳劑(動力噴霧)	250	-	-
	30%必克蟲乳劑(人力噴霧)	1200	-	-
	30%必克蟲乳劑(動力噴霧)	300	-	-
	3%必克蟲粒劑	-	15	-
	5%安丹粒劑	-	-	1A
	50%安丹可溼性粉劑	1000	-	1A
	20%免扶克乳劑	500	37	1A
	25%免扶克可溼性粉劑	700	37	1A
	40%免扶克水懸劑	1000	37	1A
	40%免敵克可溼性粉劑	1000	15	1A
	10%依芬寧乳劑	750	15	3A
	20%依芬寧可溼性粉劑	1500	15	3A
	50%治滅寧可溼性粉劑	1000	-	1A
	30%治滅蟲乳劑	800	-	1A
	50%治滅蟲可溼性粉劑	2000	-	1A
	19%矽護芬水基乳劑	2000	14	3A
	0.3%芬普尼粒劑	-	-	2B
	10%氟尼胺水分散性粒劑	2000	28	29
	25%派滅淨可溼性粉劑	1500	10	9B
	50%益丁滅蟲乳劑	1000	15	1A+1B
	20%益保扶水溶性袋裝可溼性粉劑	400	20	1A+1B
	9.6%益達胺水懸劑	3000	10	4A
	9.6%益達胺溶液	3000	10	4A
	18.2%益達胺水懸劑	6000	10	4A



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	28.8%益達胺溶液	9000	10	4A
	25%納乃得水溶性粉劑	500	-	1A
	40%納乃得水溶性粒劑	800	-	1A
	40%納乃得水溶性粉劑	800	-	1A
	40%納乃得水溶性袋裝水溶性粉劑	800	-	1A
	50%速殺氟水分散性粒劑	8000	21	4C
	33%酚丁滅蟲乳劑	800	20	1A+3A
	20%滅必蟲乳劑	800	15	1A
	8%滅必蟲粒劑	-	20	1A
	50%滅必蟲可濕性粉劑	1000	15	1A
	50%滅克蟲可濕性粉劑	1000	20	1A
	50%滅爾蟲可溼性粉劑	2000	-	1A
	20%達特南水溶性粒劑	3000	14	4A
	20%蟲必殺乳劑	800	-	
	50%蟲必殺可溼性粉劑	2000	-	
	37%繁米松溶液	800	-	1B
	60%繁米蟲乳劑	1500	15	1B
	10%賽速安水溶性粒劑	4000	10	4A
	25%賽速安水溶性粒劑	10000	10	4A
	40%雙滅必蟲乳劑	每公頃用水量 100公升	-	1A
20%氟美派水分散性粒劑	8000	21	4E	
斑飛蟲	3%加保扶粒劑	-	-	1A
	25%布芬大利松可溼性粉劑	750	15	16+1B
	25%布芬治蟲可濕性粉劑	750	15	16+1A
	40%布芬淨水懸劑	加水至 15 公 升	15	16
	25%布芬淨可溼性粉劑	1500	15	16
	11.78%布芬第滅寧乳劑	1000	15	16+3A
	11.78%布芬第滅寧水懸劑	1000	15	16+3A
	9.6%益達胺水懸劑	1600	10	4A



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	9.6%益達胺溶液	1600	10	4A
	18.2%益達胺水懸劑	3000	10	4A
	28.8%益達胺溶液	4800	10	4A
	31.6%護賽寧乳劑	6000	20	3A
葉蟬類	5%丁基加保扶粒劑	-	29	1A
	3%丁基加保扶粒劑	-	29	1A
	39.5%加保利水懸劑	800	-	1A
	40%加保利水懸劑	800	-	1A
	44.1%加保利水懸劑	900	-	1A
	50%加保利可溼性粉劑	1000	-	1A
	40%加保利超低容量液劑	-	15	1A
	85%加保利可溼性粉劑	1700	-	1A
	3%加保扶粒劑	-	-	1A
	25%免扶克可溼性粉劑	700	37	1A
	40%免扶克水懸劑	1000	37	1A
	20%免扶克乳劑	500	37	1A
	40%免敵克可溼性粉劑	1000	15	1A
	30%治滅蟲乳劑	800	-	1A
	50%治滅蟲可溼性粉劑	2000	-	1A
	37%繁米松溶液	-	-	1B
	10%賽速安水溶性粒劑	600	10	4A
	25%賽速安水溶性粒劑	1600	10	4A
黑尾葉蟬	3%丁基加保扶粒劑	-	-	1A
	5%丁基加保扶粒劑	-	-	1A
	40%丁基滅必蟲可溼性粉劑	800	15	1A
	10%大利松粒劑	-	-	1B
	40%加保利水懸劑(無人機)	-	15	1A
	50%加保利可溼性粉劑	250	21	1A
	85%加保利可溼性粉劑	1700	21	1A
	85%加保利可溼性粉劑(動力噴霧)	420	21	1A
	39.5%加保利水懸劑(無人機)	-	15	1A



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	44.1%加保利水懸劑(無人機)	-	15	1A
	39.5%加保利水懸劑	200	21	1A
	40%加保利水懸劑	200	21	1A
	44.1%加保利水懸劑	250	21	1A
	3%加保扶粒劑	-	-	1A
	3%加保扶粒劑	-	-	1A
	25%必克蟲乳劑	1000		
	25%必克蟲乳劑(動力噴霧)	250		
	30%必克蟲乳劑	1200		
	30%必克蟲乳劑(動力噴霧)	300		
	5%安丹粒劑	-	-	1A
	50%安丹可溼性粉劑	1000	-	1A
	10%百滅寧乳劑	2000	15	3A
	10%百滅寧水基乳劑	2000	15	3A
	5%百滅寧超低容量液劑	-	10	3A
	10%百滅寧可溼性粉劑	2000	15	3A
	50%治滅寧可濕性粉劑			
	30%治滅蟲乳劑	800	-	1A
	50%治滅蟲可溼性粉劑	2000	-	1A
	20%芬化利乳劑	3000	-	3A
	20%芬化利水基乳劑	3000	-	3A
	10%芬化利乳劑	1500	-	3A
	5%芬化利乳劑	750	-	3A
	20%芬化利可溼性粉劑	3000	-	3A
	25%納乃得水溶性粉劑	500	-	1A
	40%納乃得水溶性粒劑	800	-	1A
	40%納乃得水溶性粉劑	800	-	1A
	40%納乃得水溶性袋裝水溶性粉劑	800	-	1A
	91%馬拉松超低容量液劑	-	-	1B
	20%滅必蟲乳劑	800	15	1A
	50%滅必蟲可溼性粉劑	1000	15	1A



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	50%滅爾蟲可溼性粉劑	2000	-	1A
	20%蟲必殺乳劑	800	-	
	50%蟲必殺可溼性粉劑	2000	-	
	37%繁米松溶液	加水 2.4 公升稀釋	-	1B
	37%繁米松溶液	800	-	1B
	92%賽達松超低容量液劑	-	15	1B
	40%雙滅必蟲乳劑	800	-	1A
	50%雙滅必蟲超低容量液劑	-	-	1A
椿象類	5%丁基加保扶粒劑	-	29	1A
	3%丁基加保扶粒劑	-	29	1A
	85%加保利可溼性粉劑	1700	21	1A
	39.5%加保利水懸劑	700	21	1A
	40%加保利水懸劑	700	21	1A
	44.1%加保利水懸劑	800	21	1A
	50%加保利可溼性粉劑	900	21	1A
	3%加保扶粒劑	-	-	1A
	20%免扶克乳劑	500	37	1A
	25%免扶克可溼性粉劑	700	37	1A
	40%免扶克水懸劑	1000	37	1A
	40%免敵克可溼性粉劑	1000	15	1A
	30%治滅蟲乳劑	800	-	1A
	50%治滅蟲可溼性粉劑	2000	-	1A
	50%速殺氟水分散性粒劑	8000	21	4C
37%繁米松溶液	-	-	1B	
黑椿象	50%加保利可溼性粉劑	500	21	1A
	85%加保利可溼性粉劑	850	21	1A
	39.5%加保利水懸劑	400	21	1A
	40%加保利水懸劑	400	21	1A
	44.1%加保利水懸劑	450	21	1A
稻象鼻蟲	3%丁基加保扶粒劑	-	-	1A



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	5%丁基加保扶粒劑	-	-	1A
	3%加保扶粒劑	-	-	1A
	5%免扶克粒劑	-	-	1A
	6%培丹粒劑	-	21	14
	4%培丹粒劑	-	21	14
	9%培丹粒劑	-	21	14
水象鼻蟲	3%丁基加保扶粒劑	-	-	1A
	3%丁基加保扶粒劑	-	-	1A
	5%丁基加保扶粒劑	-	-	1A
	5%丁基加保扶粒劑	-	-	1A
	3%加保扶粒劑	-	-	1A
	3%加保扶粒劑	-	-	1A
	0.5%可尼丁粒劑	-	-	4A
	5%免扶克粒劑	-	-	1A
	0.3%芬普尼粒劑	-	-	2B
	2%益達胺粒劑	-	-	4A
	4%培丹粒劑	-	21	14
	6%培丹粒劑	-	21	14
9%培丹粒劑	-	21	14	
負泥蟲	3%丁基加保扶粒劑	-	-	1A
	40%丁基加保扶可溼性粉劑	1200	-	1A
	48.34%丁基加保扶乳劑	1500	-	1A
	48.34%丁基加保扶水基乳劑	1500	-	1A
	25%丁基加保扶可溼性粉劑	750	-	1A
	5%丁基加保扶粒劑	-	-	1A1
	3%加保扶粒劑	-	-	A
	5%免扶克粒劑	-	-	1A
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	4%益保扶粒劑	-	-	1A+1B
	50%益滅松可溼性粉劑	1000	21	1B



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	50%益滅蟲可溼性粉劑	1000	-	1B
	25%納乃得水溶性粉劑	500	-	1A
	40%納乃得水溶性粉劑	800	-	1A
	40%納乃得水溶性粒劑	800	-	1A
	40%納乃得水溶性袋裝水溶性粉劑	800	-	1A
	6%培丹粒劑	-	21	14
	4%培丹粒劑	-	21	14
	9%培丹粒劑	-	21	14
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
	40%撲滅松可溼性粉劑	800	21	1B
	92%賽達松超低容量液劑	-	15	1B
	鐵甲蟲	3%丁基加保扶粒劑	-	-
5%丁基加保扶粒劑		-	-	1A
3%加保扶粒劑		-	-	1A
5%免扶克粒劑		-	-	1A
50%芬殺松水基乳劑		1000	21	1B
50%芬殺松乳劑		1000	21	1B
50%益滅松可溼性粉劑		1000	21	1B
6%培丹粒劑		-	21	14
4%培丹粒劑		-	21	14
9%培丹粒劑		-	21	14
40%撲滅松可溼性粉劑		800	21	1B
20%撲滅松乳劑		400	21	1B
50%撲滅松乳劑		1000	21	1B
稻心蠅	3%加保扶粒劑	-	15	1A
	50%芬殺松水基乳劑	-	10	1B
	50%芬殺松乳劑	-	10	1B
	4%益保扶粒劑	-	-	1A+1B
	20%益保扶水溶性袋裝可溼性粉劑	400	20	1A+1B
	6%培丹粒劑	-	7	14



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
	4%培丹粒劑	-	7	14
	9%培丹粒劑	-	7	14
	300 G/L (30% W/V)%賽速安勃水懸劑	300	-	4A+28
	40%賽速安勃水分散性粒劑	500	-	4A+28
薊馬類	5%丁基加保扶粒劑	-	29	1A
	3%丁基加保扶粒劑	-	29	1A
	39.5%加保利水懸劑	800	21	1A
	40%加保利水懸劑	800	21	1A
	44.1%加保利水懸劑	900	21	1A
	50%加保利可溼性粉劑	1000	21	1A
	85%加保利可溼性粉劑	1700	21	1A
	3%加保扶粒劑	-	-	1A
	20%免扶克乳劑	500	37	1A
	25%免扶克可溼性粉劑	700	37	1A
	40%免扶克水懸劑	1000	37	1A
	40%免敵克可溼性粉劑	1000	15	1A
	30%治滅蟲乳劑	800	-	1A
	50%治滅蟲可溼性粉劑	2000	-	1A
	50%芬殺松水基乳劑	1000	21	1B
	50%芬殺松乳劑	1000	21	1B
	50%益滅松可溼性粉劑	1000	21	1B
	50%速殺氟水分散性粒劑	8000	21	4C
	20%撲滅松乳劑	400	21	1B
	50%撲滅松乳劑	1000	21	1B
40%撲滅松可溼性粉劑	800	21	1B	
37%繁米松溶液	-	-	1B	
蝗蟲類	91%馬拉松超低容量液劑	-	-	1B
	95%撲滅松超低容量液劑	-	21	1B
稻細蟻	4%培丹粒劑	-	21	14
	6%培丹粒劑	-	21	14
	9%培丹粒劑	-	21	14



病蟲害別	防治藥劑	稀釋倍數	安全採收期(天)	作用機制代號
秋行軍蟲	10%依芬寧乳劑	750	15	3A
	20%依芬寧可溼性粉劑	1500	15	3A
	18.4%剋安勃水懸劑	1000	-	28
	5%護賽寧溶液	800	15	3A
	48.1% (35,000 DBMU/mg)鮎澤蘇力菌 ABTS-1857 水分散性粒劑	1000	-	-
	54% (15,000 IU/mg)鮎澤蘇力菌 NB-200 水分散性粒劑	1000	-	-
福壽螺	70%耐克螺可溼性粉劑	-	-	-
	80%聚乙醛可溼性粉劑	-	-	-
	3.25%聚乙醛餌劑	-	-	-
	6%聚乙醛餌劑	-	-	-
	80%聚乙醛可溼性粉劑	-	-	-

1. 上述資料更新日期以主管機關公告為準。其它防治藥劑及相關資料可參考主管機關之公告或參閱「農藥資訊服務網」--登記管理---病蟲害防治
2. 臺南區農業改良場病蟲害服務專線 06-5912959

1.5 版 112.02.08 整理